

## FIN-003 INTERIM RESULTS 181114

### FIN-003 Sliding Window - DG

ID	Name	Glazing Name	Glazing ID	U <sub>w</sub>	SHGC <sub>w</sub>	Tvis <sub>w</sub>
1	FIN-003-001-01-6SCAz-6Ar-5	6SCAz-6Ar-5	4370	2.7	0.43	0.46
2	FIN-003-002-01-638CP-6Ar-5	638CP-6Ar-5	8318	2.3	0.27	0.31
3	FIN-003-003-01-5-8Ar-4	5-8Ar-4	4346	2.6	0.44	0.47
4	FIN-003-004-01-5-8Ar-5	5-8Ar-5	4347	2.6	0.43	0.46
5	FIN-003-005-01-5Gy-8Ar-5ET	5Gy-8Ar-5ET	9752	2.2	0.27	0.23
6	FIN-003-006-01-4-10Ar-4	4-10Ar-4	4341	2.6	0.45	0.47
7	FIN-003-006-02-4-10Ar-4ET	4-10Ar-4ET	9851	2.1	0.42	0.44
8	FIN-003-006-03-4Gy-10Ar-4ET	4Gy-10Ar-4ET	9853	2.1	0.30	0.27
9	FIN-003-007-01-6Gy-8Ar-6ET	6Gy-8Ar-6ET	10082	2.2	0.25	0.20